

Literature Exchange from Japan Aquaculture Panel  
April 2005–March 2006

- Akeda, S. Development of technology of making to fishing bank by carbonization processing of abolition FRP fishing boat. (In Japanese). *Kaiyou Kaihatsu Ronbunnsyuu*, **21**, 713-718 (2005).
- Andoh, T. Development of non-radioisotopic immunoassay systems for measuring flounder IGF-I.. *Zoological Science*, **22**, 1023-1030 (2005).
- Aritaki, M. The left-right related morphological anomalies of hatchery reared Pleuronectidae fishes (In Japanese). *Nippon Suisan Gakkaishi*, **71**, 998-999 (2005).
- Azuma, T., Dijkstra, J. M., Kiryu, I., Sekiguchi, T., Terada, Y., Asahina, K., Fischer, U., Otake, M. Growth and behavioral traits in Donaldson rainbow trout (*Oncorhynchus mykiss*) cosegregate with classical major histocompatibility complex (MHC) class I genotype. *Behavior Genetics*, **35**, 463-478 (2005).
- Bird, S., Zou, J., Kono, T., Sakai, M., Dijkstra, J. M., Secombes, C. Characterisation and expression analysis of interleukin 2 (IL-2) and IL-21 homologues in the Japanese pufferfish, *Fugu rubripes*, following their discovery by synteny. *Immunogenetics*, **56**, 909-923 (2005).
- Dijkstra, J. M., Somamoto, T., Moore, L., Hordvik, I., Otake, M., Fischer, U. Identification and characterization of a second CD4-like gene in teleost fish. *Molecular Immunology*, **43**, 410-419 (2006).
- Doi, T., Nakamura, T., Yokota, M., Maruyama, T., Watanabe, S., Noguchi, H., Sano, Y., Fujita, T. Density of hooks remaining in the body of Japanese charr *Salvelinus leucomaenis* and masu salmon *Oncorhynchus masou masou* (In Japanese with English abstract). *Nippon Suisan Gakkaishi*, **71**, 348-353 (2005).
- Fischer, U., Utke, K., Somamoto, T., Kulner, B., Otake, M., Nakanishi, T. Cytotoxic activities of fish leukocytes. *Fish & Shellfish Immunology*, **20**, 209-226 (2006).
- Fuji, K., Kobayashi, K., Hasegawa, O., Coimbra, M. R. M., Sakamoto, T., Okamoto, N. Identification of a single major genetic locus controlling the resistance to lymphocystis disease in Japanese flounder (*Paralichthys olivaceus*). *Aquaculture*, **254**, 203-210 (2006).
- Fujii, T. Migration of released hatchery-reared Japanese flounder *Paralichthys olivaceus* along the Sea of Japan (In Japanese with English abstract). *Bulletin of Fisheries Research Agency*, (Supple. 5), 143-146 (2006).
- Fujiwara, A. Recent advancement in fish cytogenetics. *Journal of animal genetics*, **32**, 113-122 (2005).
- Fukamachi, S., Yada, T., Mitani, H. Medaka receptors for somatolactin and growth hormone: phylogenetic paradox among fish growth hormone receptors. *Genetics*, **171**, 1875-1883 (2005).
- Fukazawa, H., Takami, H., Kawamura, T., Watanabe, Y. The effect of egg quality on larval period and post-larval survival of an abalone *Haliotis discus hannai*. *Journal of Shellfish Research*, **24**, 1141-1147 (2005).
- Hakoyama, H., Iwasa, Y. Extinction risk of a meta-population: aggregation approach. *Journal of Theoretical Biology*, **232**, 203-216 (2005).
- Hamada, K., Mushiake, K. Advanced spawning of yellowtail *Seriola quinqueradiata* as early as December by manipulations of both photoperiod and water temperature (In Japanese with English abstract). *Nippon Suisan Gakkaishi*, **72**, 186-192 (2006).
- Hamada, K., Mushiake, K. Advanced spawning technique and its advantages in stock enhancement and aquaculture of the yellowtail *Seriola quinqueradiata* (In Japanese). *Nippon Suisan Gakkaishi*,

72, 250-253 (2006).

- Hamaguchi, M. Immunological and molecular biological technique for identification of early life history stages short-necked clam, E34 (In Japanese with English abstract). *Bulletin of Fisheries Research Agency*, (Supple. 3), 79-82 (2005).
- Hamano, K., Awaji, M., Usuki, H. cDNA structure of an insulin-related peptide in the Pacific oyster and seasonal changes in the gene expression. *Journal of Endocrinology*, **187**, 55-67 (2005).
- Hara, M., Sekino, M. Genetic variation in artificial seed of Japanese abalone, *Haliotis discus* based on microsatellite DNA (In Japanese with English abstract). *Bulletin of Fisheries Research Agency*, (Supple. 5), 127-135 (2006).
- Haraguchi, N. The optimal and maximum critical temperatures of nine species of the Sargassaceae in the coastal waters of Yamaguchi Prefecture, Japan (In Japanese). *Japanese Journal of Phycology*, **53**, 5-7 (2005).
- Hong, J., Om, AD., Umino, T., Yoshimatsu, T., Hayashi, M., Nakagawa, H., Asano, M., Nakagawa, A. Effect of dietary laurate on lipid accumulation and vitality in juvenile *Pagrus major*. *Journal of Fisheries of China*, **29**, 804-810 (2005).
- Horii, T., Kurogi, H., Kajigaya, Y., Takiguchi, N., Hamaguchi, M. A note on differences of species composition between swimming larvae and post-larvae of abalone, Haliotidae, in the coast of Sagami Bay (In Japanese with English abstract). *Bulletin of Fisheries Research Agency*, (Supple. 5), 85-90 (2006).
- Horikawa, H. Fishery resources of East China Sea and Yellow Sea (In Japanese). *Chiiki Gyogyou Kenkyuu*, **45**, 19-31 (2005).
- Hoshikawa, H., Takahashi, K., Tsuda, F., Machiguchi, Y. Effect of adult density on 0+ juvenile density of the abalone *Haliotis discus hannai* (In Japanese with English abstract). *Bulletin of Fisheries Research Agency*, (Supple. 5), 119-126 (2006).
- Iguchi, K., Takeshima, H. Progress in analyzing fish population structure in ayu with today's significance (In Japanese with English abstract). *Bulletin of Fisheries Research Agency*, (Supple. 5), 187-195 (2006).
- Iguchi, K., Watanabe, K., Nishida, M. Validity of fluctuating asymmetry as a gauge of genetic stress in ayu stocks. *Fisheries Science*, **71**, 308-313 (2005).
- Iigo, M., Ikuta, K., Kitamura, S., Tabata, M., Aida, K. Effects of melatonin feeding on smoltification in masu salmon (*Oncorhynchus masou*). *Zoological Science*, **22**, 1191-1196 (2005).
- Imai, S., Koyama, J., Fujii, K. Effects of 17 $\beta$ -estradiol on the reproduction of Java-medaka (*Oryzias javanicus*), a new test fish species. *Marine Pollution Bulletin*, **51**, 708-714 (2005).
- Imaizumi, H., Hotta, T., Ohta, H. Cryopreservation of kelp grouper *Epinephelus bruneus* sperm and comparison of fertility of fresh and cryopreserved sperm (In Japanese). *Aquaculture Science*, **53**, 405-411 (2005).
- Inoue, Y., Kamota, S., Ito, K., Yoshiura, Y., Ototake, M., Moritomo, T., Nakanishi, T. Molecular cloning and expression analysis of rainbow trout (*Oncorhynchus mykiss*) interleukin-10 cDNAs. *Fish & Shellfish Immunology*, **18**, 335-344 (2005).
- Itakura, S., Yamaguchi, M. Morphological and physiological differences between the cysts of *Alexandrium catenella* and *A. tamarensis* (Dinophyceae) in the Seto Inland Sea, Japan. *Plankton Biology And Ecology*, **52**, 85-91 (2005).
- Ito, A., Wada, S. Effect of food availability on reproduction and growth in the intertidal sea hare *Aplysia juliana*. *Benthos Research*, **60**, 11-16 (2005).

- Ito, L. S., Yamashita, M., Takashima, F., Strusmann, C. A. Dynamics and histological characteristics of gonadal sex differentiation in pejerrey (*Odontesthes bonariensis*) at feminizing and masculinizing temperatures. *Journal of Experimental Zoology (Part A: Comparative Experimental Biology)*, **303A**, 504-514 (2005).
- Iwamoto, A., Yamazaki, H., Fujimoto, H., Okumura, S., Yamamoto, Y., Obata, Y. Estimation of seed production costs for the Japanese Spanish mackerel, *Scomberomorus niphonius* (In Japanese). *Saibai Giken*, **33**, 61-66 (2006).
- Iwamoto, T., Mise, K., Takeda, A., Okinaka, Y., Mori, K. I., Arimoto, M., Okuno, T., Nakai, T. Characterization of Striped jack nervous necrosis virus subgenomic RNA3 and biological activities of its encoded protein B2. *Journal of General Virology*, **86**, 2807-2816 (2005).
- Jinbo, T., Hamasaki, K., Ashidate, M. Effects of *Artemia* nauplii density on survival, development and feeding of larvae of the horsehair crab *Erimacrus isenbeckii* (Crustacea, Decapoda, Brachyura) reared in the laboratory (In Japanese with English abstract). *Nippon Suisan Gakkaishi*, **71**, 563-570 (2005).
- Kai, W., Kikuchi, K., Fujita, M., Suetake, H., Fujiwara, A., Yoshiura, Y., Otake, M., Venkatesh, B., Miyaki, K., Suzuki, Y. A genetic linkage map for the pufferfish, *Takifugu rubripes*. *Genetics*, **171**, 227-238 (2005).
- Kamikawa, R., Hosoi-Tanabe, S., Nagai, S., Itakura, S., Sako, Y. Development of a quantification assay for the cysts of the toxic dinoflagellate *Alexandrium tamarensense* using real-time polymerase chain reaction. *Fisheries Science*, **71**, 987-991 (2005).
- Kamisaka, Y., Drivenes, O., Kurokawa, T., Tagawa, M., Ronnestad, I., Tanaka, M., Helvik, J. V. Cholecystokinin mRNA in Atlantic herring, *Clupea harengus*-molecular cloning, characterization, and distribution in the digestive tract during the early life stages. *Peptides*, **26**, 385-393 (2005).
- Kamiyama, T., Matsuyama, Y. Temporal changes in the ciliate assemblage and consecutive estimates of their grazing effect during the course of a *Heterocapsa circularisquama* bloom. *Journal of Plankton Research*, **27**, 303-311 (2005).
- Kamiyama, T., Suzuki, T. Lack of accumulation of paralytic shellfish poisoning (PSP) toxins in the tintinnid ciliate *Favella taraikaensis* feeding on the toxic dinoflagellate *Alexandrium tamarensense*. *Marine Ecology Progress Series*, **317**, 57-65 (2006).
- Kamiyama, T., Tsujino, M., Matsuyama, Y., Uchida, T. Growth and grazing rates of the tintinnid ciliate *Favella taraikaensis* on the toxic dinoflagellate *Alexandrium tamarensense*. *Marine Biology*, **147**, 989-997 (2005).
- Kamiyama, T., Yamauchi, H., Iwai, T., Hanawa, S., Matsuyama, Y., Arima, S., Kotani, Y. Comparison of environmental conditions in two representative oyster farming areas: Hiroshima Bay, western Japan and Ogino-hama Bay (a branch of Ishinomaki Bay), northern Japan. *Fisheries Science*, **71**, 1295-1303 (2005).
- Kamoshida, M., Yamazaki, H., Yamamoto, Y. Seed production of red seabream, *Pagrus major*, using a closed recirculating system (In Japanese). *Saibai Giken*, **33**, 67-76 (2006).
- Katano, O., Abe, S., Nakamura, T. Relationships between ayu *Plecoglossus altivelis* and other organisms in stream communities (In Japanese with English abstract). *Bulletin of Fisheries Research Agency*, (Supple. 5), 203-208 (2006).
- Katano, O., Nakamura, T., Abe, S., Yamamoto, S., Baba, Y. Comparison of fish communities between above- and below-dam sections of small streams; barrier effect to diadromous fishes. *Journal of Fish Biology*, **68**, 767-782 (2006).

- Katano, O., Nakamura, T., Yamamoto, S. Intraguild indirect effects through trophic cascades between stream-dwelling fishes. *Journal of Animal Ecology*, **75**, 167-175 (2006).
- Katano, O., Nakamura, T., Yamamoto, S. Prey fish selection by Far Eastern catfish *Silurus asotus* and largemouth bass *Micropterus salmoides*. *Fisheries Science*, **71**, 862-868 (2005).
- Katano, O., Nakamura, T., Yamamoto, S., Abe, S. Stomach contents of young bluegill *Lepomis macrochirus* in the Urano River of Nagano Prefecture (In Japanese). *Aquaculture Science*, **53**, 115-119 (2005).
- Kawaguchi, M., Yasumasu, S., Shimizu, A., Hiroi, J., Yoshizaki, N., Nagata, K., Tanokura, M., Iuchi, I. Purification and gene cloning of *Fundulus heteroclitus* hatching enzyme. A hatching enzyme system composed of high choriolitic enzyme and low choriolitic enzyme is conserved between two different teleosts, *Fundulus heteroclitus* and medaka *Oryzias latipes*. *FEBS Journal*, **272**, 4315-4326 (2005).
- Kawamura, K., Yonekura, R., Katano, O., Taniguchi, Y., Saitoh, K. Origin and dispersal of bluegill sunfish, *Lepomis macrochirus*, in Japan and Korea. *Molecular Ecology*, **15**, 613-621 (2006).
- Kim, SK., Akeuchi, T., Akimoto, A., Furuta, H., Yamamoto, T., Yokoyama, M., Murata, Y. Effect of taurine supplemented practical diet on growth performance and taurine contents in whole body and tissues of juvenile Japanese flounder *Paralichthys olivaceus*. *Fisheries Science*, **71**, 627-632 (2005).
- Kim, S. K., Takeuchi, T., Yokoyama, M., Murata, Y., Kaneniwa, M., Sakakura, Y. Effect of dietary taurine levels on growth and feeding behavior of juvenile Japanese flounder *Paralichthys olivaceus*. *Aquaculture*, **250**, 765-774 (2005).
- Kim, Y. K., Tsutsui, N., Kawazoe, I., Okumura, T., Kaneko, T., Aida, K. Localization and developmental expression of mRNA for cortical rod protein in kuruma prawn *Marsupenaeus japonicus*. *Zoological Science*, **22**, 675-680 (2005).
- Kinami, R., Miyamoto, J., Yoshinaga, T., Ogawa, K., Nagakura, Y. A practical method to distinguish between *Neobenedenia girellae* and *Benedenia seriolaee*. *Fish Pathology*, **40**, 63-66 (2005).
- Kitagawa, T., Jeon, S. R., Kitagawa, E., Yoshioka, M., Kashiwagi, M., Okazaki, T. Genetic relationships among the Japanese and Korean striped spined loach complex (Cobitidae: Cobitis) and their phylogenetic positions. *Ichthyological Research*, **52**, 111-122 (2005).
- Kitamura, S., Ikuta, K., Shikama, T., Nakamura, H., Suzuki, Y., Munakata, A. Effects of catch-release (C&R) regulation in the Yukawa River (In Japanese with English abstract). *Bulletin of Fisheries Research Agency*, (15), 1-10 (2005).
- Koiso, M. Stable mass production technique and quality as live feed of the euryhaline rotifer *Brachionus plicatilis* (In Japanese). *Nippon Suisan Gakkaishi*, **72**, 259-262 (2006).
- Koiso, M., Hino, A. Effect of sudden drop of dissolved oxygen on population growth and feeding in the rotifer *Brachionus plicatilis* (In Japanese). *Aquaculture Science*, **54**, 37-41 (2006).
- Koiso, M., Hino, A. Evaluation of the ontogenetic physiological activity of the rotifer *Brachionus plicatilis* using hyper-saline tolerance test (In Japanese). *Aquaculture Science*, **54**, 95-99 (2006).
- Koiso, M., Tezuka, N., Kuwada, H., Watanabe, K. Short-period refrigeration of disinfected parthenogenetic eggs of the rotifer *Brachionus plicatilis* (In Japanese). *Nippon Suisan Gakkaishi*, **72**, 239-240 (2006).
- Kurihara, T., Yamada, H., Nakamori, J., Sano, M., Shimizu, H. Effects of rearing conditions on growth and survival in juvenile blacklip pearl oyster *Pinctada margaritifera* (L.) in subtropical Japan. *Journal of Shellfish Research*, **24**, 1191-1196 (2005).
- Kurokawa, T., Suzuki, T. Developmental process of digestive system in Japanese eel larvae (In

- Japanese with English abstract). *Bulletin of Fisheries Research Agency*, (Supple. 5), 57-61 (2006).
- Kurokawa, T., Uji, S., Suzuki, T. Identification of cDNA coding for a homologue to mammalian leptin from pufferfish, *Takifugu rubripes*. *Peptides*, **26**, 745-750 (2005).
- Makino, M., Matsuda, H. Co-management in Japanese coastal fisheries: institutional features and transaction costs. *Marine Policy*, **29**, 441-450 (2005).
- Masaoka, T., Kobayashi, T. Natural hybridization between *Pinctada fucata* and *Pinctada maculata* inferred from internal transcribed spacer regions of nuclear ribosomal RNA genes. *Fisheries Science*, **71**, 829-836 (2005).
- Matsunari, H., Arai, D., Koiso, M., Kuwada, H., Takahashi, T., Takeuchi, T. Effect of feeding rotifers enriched with taurine on growth performance and body composition of pacific cod larvae *Gadus macrocephalus*. *Aquaculture Science*, **53**, 297-304 (2005).
- Mihelakakis, A., Tsolkas, C., Yoshimatsu, T. Early development of laboratory-reared common dentex, *Dentex dentex* (L.). *Aquaculture Science*, **53**, 367-376 (2005).
- Mitamura, H., Arai, N., Mitsunaga, Y., Yokota, T., Takeuchi, H., Tsuzaki, T., Itani, M. Directed movements and diel burrow fidelity patterns of red tilefish *Branchiostegus japonicus* determined using ultrasonic telemetry. *Fisheries Science*, **71**, 491-498 (2005).
- Miyamura, K., Abo, K. Growth of *Gymnodinium catenatum* Graham effected by hydrographic conditions at Inokushi and Ogamae Bays in winter season (In Japanese with English abstract). *Bulletin of the Japanese Society of Fisheries Oceanography*, **69**, 284-293 (2005).
- Moore, L. J., Somamoto, T., Lie, K. K., Dijkstra, J. M., Hordvik, I. Characterization of salmon and trout CD8 $\alpha$  and CD8 $\beta$ . *Molecular Immunology*, **42**, 1225-1234 (2005).
- Mori, K., Mushiake, K. Control of hatchery diseases by broodstock management (In Japanese). *Nippon Suisan Gakkaishi*, **72**, 246-249 (2006).
- Morita, K., Arai, T., Kishi, D., Tsuboi, J. Small anadromous *Salvelinus malma* at the southern limits of its distribution. *Journal of Fish Biology*, **66**, 1187-1192 (2005).
- Morita, K., Morita, S. H., Fukuwaka, M. Population dynamics of Japanese pink salmon (*Oncorhynchus gorbuscha*): are recent increases explained by hatchery programs or climatic variations? *Canadian Journal of Fisheries and Aquatic Sciences*, **63**, 55-62 (2006).
- Morita, K., Morita, S. H., Fukuwaka, M., Matsuda, H. Rule of age and size at maturity of chum salmon (*Oncorhynchus keta*): implications of recent trends among *Oncorhynchus* spp. *Canadian Journal of Fisheries and Aquatic Sciences*, **62**, 2752-2759 (2005).
- Munakata, A., Amano, M., Kitamura, S., Ikuta, K., Aida, K. Foraging and growth of hatchery-reared honmasu salmon parr in a natural river. *Journal of the World Aquaculture Society*, **36**, 411-415 (2005).
- Muraoka, D., Saitoh, K. Identification of *Undaria pinnatifida* and *Undaria undariooides* (Laminariales, Phaeophyceae) using mitochondrial 23S ribosomal DNA sequence. *Fisheries Sciences*, **71**, 1365-1369 (2005).
- Nagai, S., Lian, C., Hamaguchi, M., Matsuyama, Y., Itakura, S., Suzuki, M., Shimada, H., Kaga, S., Yamauchi, H., Sonda, Y., Nishikawa, T., Kim, CH., Hogetsu, T. Microsatellite markers reveal population genetic structure of the toxic dinoflagellate *Alexandrium tamarensense* (Dinophyceae) in Japanese coastal water (In Japanese). *DNA Takei*, **13**, 130-134 (2005).
- Nagasaki, K. Molecular Ecology of microalgal viruses (In Japanese). *Virus*, **55**, 127-132 (2005).
- Nagasaki, K., Shirai, Y., Takao, Y., Mizumoto, H., Nishida, K., Tomaru, Y. Comparison of genome sequences of single-stranded RNA viruses infecting the bivalve-killing dinoflagellate *Heterocapsa*

- circularisquama*. *Applied and Environmental Microbiology*, **71**, 8888-8894 (2005).
- Nagasaki, K., Tomaru, Y., Takao, Y., Nishida, K., Shirai, Y., Suzuki, H., Nagumo, T. Algal viruses with distinct intraspecies host specificities include identical intein elements. *Applied and Environmental Microbiology*, **71**, 3599-3607 (2005).
- Nagasoe, S., Kim, D.I., Shimasaki, Y., Oshima, Y., Yamaguchi, M., Honjo, T. Effects of temperature, salinity and irradiance on the growth of the red tide dinoflagellate *Gyrodinium istriatum* Freudenthal et Lee. *Harmful Algae*, **5**, 20-25 (2006).
- Nakagawa, M., Okouchi, H. Examination of embryonic developmental stage by cannulation to synchronize the timing of parturition in black rockfish *Sebastodes schlegeli* broodstock females (In Japanese). *Aquaculture Science*, **53**, 343-348 (2005).
- Nakamura, T., Oda, N. Daily rhythms and relationship with rainfall of ascending activity of fish in a paddy field ditch (In Japanese). *Aquaculture Science*, **53**, 349-354 (2005).
- Nishikawa, T., Yamaguchi, M. Effect of temperature on light-limited growth of the harmful diatom *Eucampia zodiacus* Ehrenberg, a causative organism in the discoloration of *Porphyra* thalli. *Harmful Algae*, **5**, 141-147 (2006).
- Nishioka, T., Shiozawa, S., Kogane, T., Koiso, M., Mushiake, K., Arimoto, M. Occurrence of viral ascites in seed production of Japanese amberjack (*Seriola quinqueradiata*) and yellowtail amberjack (*S. lalandi*) (In Japanese). *Saibai Giken*, **33**, 77-83 (2006).
- Nishitani, G., Yamaguchi, M., Ishikawa, A., Yanagiya, S., Mitsuya, T., Imai, I. Relationships between occurrences of toxic *Dinophysis* species (Dinophyceae) and small phytoplanktons in Japanese coastal waters. *Harmful Algae*, **4**, 755-762 (2005).
- Oh, S.J., Matsuyama, Y., Yamamoto, T., Nakajima, M., Takatsuki, H., Hujisawa, K. Recent developments and causes of harmful dinoflagellate blooms in the Seto Inland Sea-Ecological importance of dissolved organic phosphorus (DOP) (In Japanese with English abstract). *Bulletin of Coastal Oceanography*, **43**, 85-95 (2005).
- Oh, S.J., Yoon, Y.H., Yamamoto, T., Matsuyama, Y. Alkaline phosphatase activity and phosphatase hydrolyzable phosphorus in Hiroshima Bay. *Ocean Science Journal*, **40**, 183-190 (2005).
- Ojima, N., Yamashita, M., Watabe, S. Quantitative mRNA expression profiling of heat-shock protein families in rainbow trout cells. *Biochemical and Biophysical Research Communications*, **329**, 51-57 (2005).
- Oka, M., Tezuka, N. New system for egg management and collection of newly hatched larvae in laboratory-reared giant cuttlefish *Sepia latimanus* (In Japanese). *Saibai Giken*, **33**, 55-60 (2006).
- Okumura, S., Kurihara, A., Iwamoto, A., Takeuchi, T. Corelations among arm sucker count, wet and dry weight of reared common octopus paralarvae. *Aquaculture Science*, **53**, 329-330 (2005).
- Okumura, S. Working group on paralarvae rearing of *Octopus vulgaris* (In Japanese). *Nippon Suisan Gakkaishi*, **72**, 300-300 (2006).
- Okumura, T., Kim, Y. K., Kawazoe, I., Yamano, K., Tsutsui, N., Aida, K. Expression of vitellogenin and cortical rod proteins during induced ovarian development by eyestalk ablation in the kuruma prawn, *Marsupenaeus japonicus*. *Comparative Biochemistry and Physiology A*, **143**, 246-253 (2006).
- Okumura, T., Miura, N., Semura, H., Kishimoto, Y. Seasonal changes in glycogen contents of the Iwagaki oyster, *Crassostrea nippona* from the coast of Toba Bay, Konoura, Tomari, and Oki Islands in the Sea of Japan (In Japanese with English abstract). *Nippon Suisan Gakkaishi*, **71**, 363-368 (2005).

- Okumura, T., Nikaido, H., Yoshida, K., Kotaniguchi, M., Tsuno, M., Seto, Y., Watanabe, T. Changes in gonadal development, androgenic gland cell structure, and hemolymph vitellogenin levels during male phase and sex change in laboratory-maintained protandric shrimp, *Pandalus hypsinotus* (Crustacea: Caridae). *Marine Biology*, **148**, 347-361 (2005).
- Okumura, Y., Nagasaka, H., Kohno, Y., Kamiyama, T., Suzuki, T., Yamashita, Y. Sedimentation rate of dioxins from the mid-1980s to 2002 in a sediment core collected off Ishinomaki in Sendai Bay, Japan. *La mer*, **43**, 33-42 (2005).
- Ortega, M., Aritaki, M., Taniguchi, N. Pedigree analysis of recaptured fish in the stock enhancement program of spotted halibut *Verasper variegatus*. *Fisheries Science*, **72**, 48-52 (2006).
- Ortega, M., Suzuki, S., Nakajima, M., Taniguchi, N. Genetic evaluation of interindividual relatedness for broodstock management of the rare species barfin flounder *Verasper moseri* using microsatellite DNA markers. *Fisheries Science*, **72**, 33-39 (2006).
- Pakingking, R., Mori, K. I., Sugaya, T., Oka, M., Okinaka, Y., Nakai, T. Aquabirnavirus-induced protection of marine fish against piscine nodavirus infection. *Fish Pathology*, **40**, 125-131 (2005).
- Phuong, N. T., Hai, T. N., Hien, T. H. T., Bui, T. V., Huong, D. H. T., Son, V. N., Morooka, Y., Fukuda, Y., Wilder, M. N. Current status of freshwater prawn culture in Vietnam and the development and transfer of seed production technology. *Fisheries Science*, **72**, 1-12 (2006).
- Radonic, M., Lopez, A., Oka, M., Aristizabal, O. Effect of the incubation temperature on the embryonic development and hatching time of eggs of the red porgy *Pagrus pagrus* (Linne, 1758) (Pisces: Sparidae). *Revista de Biología Marina y Oceanografía*, **40**, 91-99 (2005).
- Saito, H., Aono, H., Niwa, K. Do the chemical components in wild prey have an influence to maturation of kuruma prawn *Marsupenaeus japonicus*? (In Japanese with English abstract) *Bulletin of Fisheries Research Agency*, (Supple. 5), 9-14 (2006).
- Sakami, T., Yokoyama, H., Ishiihi, Y. Microbial hydrolytic enzyme activity in the sediments of a net cage aquaculture area. *Fisheries Science*, **71**, 271-278 (2005).
- Sassa, C., Kawaguchi, K. Larval feeding habits of *Diaphus theta*, *Protomyctophum thompsoni*, and *Tarletonbeania taylori* (Pisces: Myctophidae) in the transition region of the western North Pacific. *Marine Ecology Progress Series*, **298**, 261-276 (2005).
- Sato, A., Somamoto, T., Yokooka, H., Okamoto, N. Systemic priming of alloreactive cytotoxic cells in carp, following anal administration of allogeneic cell antigens. *Fish & Shellfish Immunology*, **19**, 43-52 (2005).
- Sato, R., Azuma, T., Muto, K. Estimation of the heritability for growth rate in the Nikko strain rainbow trout (*Oncorhynchus mykiss*) using the individual identifying method with passive integrated transponder (PIT) tags (In Japanese with English abstract). *Bulletin of Fisheries Research Agency*, (1), 7 (2006).
- Sawaguchi, S., Koya, Y., Yoshizaki, N., Ohkubo, N., Andoh, T., Hiramatsu, N., Sullivan, C. V., Hara, A., Matsubara, T. Multiple vitellogenins (Vgs) in mosquitofish (*Gambusia affinis*): Identification and characterization of three functional Vg genes and their circulating and yolk protein products. *Biology of Reproduction*, **72**, 1045-1060 (2005).
- Sawaguchi, S., Ohkubo, N., Andoh, T., Suzuki, S., Aritaki, M., Yamada, T., Matsubara, T. A novel methods for collecting ovulated eggs using a liquid pump in barfin flounder, *Verasper moseri*, and spotted halibut, *V. variegatus* (In Japanese). *Aquaculture Science*, **53**, 167-173 (2005).
- Sawaguchi, S., Ohkubo, N., Koya, Y., Matsubara, T. Incorporation and utilization of multiple forms of vitellogenin and their derivative yolk proteins during vitellogenesis and embryonic development in

- the mosquitofish, *Gambusia affinis*. *Zoological Science*, **22**, 701-710 ( 2005).
- Shigenobu, Y., Saitoh, K., Hayashizaki, K. I., Ida, H. Nonsynonymous site heteroplasmy in fish mitochondrial DNA. *Genes and Genetic Systems*, **80**, 297-301 (2005).
- Shiina, T., Dijkstra, J. M., Shimizu, S., Watanabe, A., Yanagiya, K., Kiryu, I., Fujiwara, A., Nishida-Umehara, C., Kaba, Y., Hirono, I., Yoshiura, Y., Aoki, T., Inoko, H., Kulski, J. K., Otake, M. Interchromosomal duplication of major histocompatibility complex class I regions in rainbow trout (*Oncorhynchus mykiss*), species with presumable recent tetraploidy. *Immunogenetics*, **56**, 878-893 (2005).
- Shimizu, A., Morishima, K., Nakayama, I. Confocal microscopic observation of *Porphyra* thalli stained with various fluorescent dyes (In Japanese). *Japanese Journal of Phycology*, **53**, 145-146 (2005).
- Shimizu, A., Uchida, K., Abe, S., Udagawa, M., Sato, T., Katsura, K. Evidence of multiple spawning in wild amphidromous type ayu. *Fisheries Science*, **71**, 1379-1381 (2005).
- Shimoda, T., Fujioka, Y., Srithong, C., Aryuthanka, C. Phosphorus budget in shrimp aquaculture pond with mangrove enclosure and aquaculture performance. *Fisheries Science*, **71**, 1247-1253 (2005).
- Shimoda, T., Srithong, C., Ayuthaka, C. Attempt at purification of effluent and sediment in shrimp aquaculture ponds using mangrove trees. *Japan Agricultural Research Quarterly*, **39**, 139-145 (2005).
- Shiraishi, T., Ohta, K., Yamaguchi, A., Yoda, M., Chuda, H., Matsuyama, M. Reproductive parameters of the chub mackerel *Scomber japonicus* estimated from human chorionic gonadotropin-induced final oocyte maturation and ovulation in captivity. *Fisheries Science*, **71**, 531-542 (2005).
- Somamoto, T., Yoshiura, Y., Nakanishi, T., Otake, M. Molecular cloning and expression analysis of rainbow trout (*Oncorhynchus mykiss*) interleukin-10 cDNAs. *Developmental and Comparative Immunology*, **29**, 693-702 (2005).
- Sudo, H. Predation mortality of hatchery-reared juvenile Japanese flounder *Paralichthys olivaceus* released in Mano Bay, Sado Island (In Japanese with English abstract). *Bulletin of Fisheries Research Agency*, (Supple. 5), 163-168 (2006).
- Sugita, H., Yamamoto, S., Asakura, C., Morita, T. Occurrence of *Listonella anguillarum* in seed production environments of Japanese flounder *Paralichthys olivaceus* (Temminck et schlegel). *Aquaculture Research*, **36**, 920-926 (2005).
- Suzuki, T., Igarashi, T., Ichimi, K., Watai, M., Suzuki, M., Ogiso, E., Yasumoto, T. Kinetics of diarrhetic shellfish poisoning toxins, okadaic acid, dinophysistoxin-1, pectenotoxin-6 and yessotoxin in scallops *Patinopecten yessoensis*. *Fisheries Science*, **71**, 948-955 (2005).
- Suzuki, T., Jin, T., Shirota, Y., Mitsuya, T., Okumura, Y., Kamiyama, T. Quantification of lipophilic toxins associated with diarrhetic shellfish poisoning in Japanese bivalves by liquid chromatography-mass spectrometry and comparison with mouse bioassay. *Fisheries Sciences*, **71**, 1370-1378 (2005).
- Suzuki, T., Walter, J. A., LeBlanc, P., MacKinnon, S., Miles, C. O., Wilkins, A. L., Munday, R., Beuzenberg, V., MacKenzie, A. L., Jensen, D. J., Cooney, J. M., Quilliam, A. M. Identification of pectenotoxin-11 as 34S-hydroxypectenotoxin-2, a new pectenotoxin analogue in the toxic dinoflagellate *Dinophysis acuta* from New Zealand. *Chemical Research in Toxicology*, **19**, 310-318 (2006).
- Tagawa, M., Aritaki, M. Production of symmetrical flatfish by controlling the timing of thyroid hormone treatment in spotted halibut *Verasper variegatus*. *General and Comparative*

*Endocrinology*, **141**, 184-189 (2005).

- Takami, H., Fukazawa, H., Kawamura, T. Delayed metamorphosis by larval abalone in the field. *Bulletin of Fisheries Research Agency*, (Supple. 5), 97-117 (2006).
- Takami, H., Oshino, A., Sasaki, R., Fukazawa, H., Kawamura, T. Age determination and estimation of larval period in field caught abalone (*Haliotis discus hannah* Ino 1953) larvae and newly metamorphosed post-larvae by counts of radular teeth rows. *Journal of Experimental Marine Biology and Ecology*, **328**, 289-301 (2006).
- Takano, M., Barinova, A., Sugaya, T., Obata, Y., Watanabe, T., Ikeda, M., Taniguchi, M. Isolation and characterization of microsatellite DNA markers from mangrove crab, *Scylla paramamosain*. *Molecular Ecology Notes*, **5**, 794-795 (2005).
- Takao, Y., Mise, K., Nagasaki, K., Okuno, T., Honda, D. The complete nucleotide sequence and genome organization of a single-stranded RNA virus (SssRNAV) infecting the marine fungoid protist *Schizochytrium* sp. *Journal of General Virology*, **87**, 723-733 (2006).
- Takao, Y., Nagasaki, K., Mise, K., Okuno, T., Honda, D. Isolation and characterization of a novel single-Ssstrand RNA virus (SssRNAV) infectious to a marine fungoid protist *Schizochytrium* sp. (Thraustochytriaceae, Labyrinthulae). *Applied and Environmental Microbiology*, **71**, 4516-4522 (2005).
- Takayanagi, K., Nishiuchi, K., Yokouchi, K., Miyaji, K. Review: A Possible Collaboration with China on Marine Ecosystem Research in the East China Sea. *Japan Agricultural Research Quarterly*, **40**, 59-64 (2006).
- Takeshima, H., Iguchi, K., Nishida, M. Unexpected ceiling of genetic differentiation in the control region of the mitochondrial DNA between different subspecies of the ayu *Plecoglossus altivelis*. *Zoological Science*, **22**, 401-410 (2005).
- Tamaki, H., Takahashi, H., Fukaya, A., Fukuda, M., Arai, S., Muraoka, D. The distribution patterns of *Undaria pinnatifida* (Harvey) Suringer and sea urchins related to water velocity condition in Ogatsu Bay, Miyagi Prefecture (In Japanese). *Japanese Journal of Phycology*, **53**, 131-135 (2005).
- Tanada, T., Imaizumi, Y., Dan, A., Hirosawa, N., Moriguchi, Y., Terawaki, T. Effect and limit to eelgrass growing with gauze and mat made of gravel in sea area where waves condition in winter is comparatively severe (In Japanese). *Suisan Kougaishi*, **42**, 129-134 (2005).
- Tanaka, H., Nomura ,K., Yamamoto, T., Oku, H. Development of artificial diets and rearing systems for eel larvae—The first success of production of glass eel in captivity (In Japanese with English abstract). *Bulletin of Fisheries Research Agency*, (Supple. 5), 63-69 (2006).
- Tarutani, K., Nagasaki, K., Yamaguchi, M. Virus adsorption process determines virus susceptibility in *Heterosigma akashiwo* (Raphidophyceae). *Aquatic Microbial Ecology*, **42**, 209-213 (2006).
- Tomoda, T., Koiso, M., Kuwada, H., Chen, J.-N., Takeuchi, T. Dietary value of marine rotifer *Brachionus plicatilis* at different population growth stages for larval Japanese flounder *Paralichthys olivaceus* (In Japanese with English abstract). *Nippon Suisan Gakkaishi*, **71**, 555-562 (2005).
- Tomoda, T., Kuwada, H. Otolith marking by dilution of Alizarin Complexone solution through pH adjustment for juvenile Japanese sandfish *Arctoscopus japonicus* (In Japanese). *Nippon Suisan Gakkaishi*, **72**, 76-78 (2006).
- Toyohara, H., Ikeda, M., Goto, C., Sawada, H., Hosoi, M., Takeuchi, K., Hayashi, I., Imamura, S., Yamashita, M. Osmo-responsive expression of oyster amino acid transporter gene and analysis of the regulatory region involved. *Fisheries Science*, **71**, 465-470 (2005).
- Tsujino, M., Uchida, T. Germination capability of resting cysts of *Alexandrium* spp. (Dinophydeae)

- enclosed in the fecal pellets of macrobenthic organisms. *Benthos Research*, **60**, 45-49 (2005).
- Uchida, K., Shimizu, A., Abe, S., Sato, T., Kaotsura, K., Sakano, H. Estimation of population number of ayu in the Nezugaseki River (In Japanese with English abstract). *Bulletin of Fisheries Research Agency*, (Supple. 5), 197-202 (2006).
- Ueda, S., Kojima, H. Influence of low water temperature in winter on migration of pufferfish (*Takifugu rubripes*) from Straits of Kii (In Japanese). *Suisan Kaiyou Kenkyuu*, **69**, 165-173 (2005).
- Unuma, T., Kondo, S., Tanaka, H., Kagawa, H., Nomura, K., Ohta, H. Relationship between egg specific gravity and egg quality in the Japanese eel, *Anguilla japonica*. *Aquaculture*, **246**, 493-500 (2005).
- Uwai, S., Yotsukura, N., Serisawa, Y., Muraoka, D., Hiraoka, M., Kogame, K. Intraspecific genetic diversity of *Undaria pinnatifida* in Japan, based on the mitochondrial cox3 gene and the ITS1 of nrDNA. *Hydrobiologia*, **553**, 345-356 (2006).
- Watanabe, K., Shima, Y., Ashidate, M., Nishioka, T., Sato, J., Hotta, T., Iida, T. Residue of oxytetracycline hydrochloride and alkyl trimethyl ammonium calcium oxytetracycline in the muscle of Perciform fish species (In Japanese). *Saibai Giken*, **33**, 93-101 (2006).
- Watanabe, K., Shinozaki, D., Koiso, M., Kuwada, H., Yoshimizu, M. Disinfection of parthenogenetic eggs of the rotifer *Brachionus plicatilis* (In Japanese with English abstract). *Nippon Suisan Gakkaishi*, **71**, 294-298 (2005).
- Watanabe, S., Isshiki, T., Kudo, T., Yamada, A., Katayama, S., Fukuda, M. Using stable isotope ratios as a tracer of feeding adaptation in released Japanese flounder (*Paralichthys olivaceus*). *Journal of Fish Biology*, **68**, 1192-1205 (2006).
- Xuan, K., Amano, K., Amiya, N., Kurita, Y., Yamamori, I. Distribution of three GnRHs in the brain and pituitary of the wild Japanese flounder, *Paralichthys olivaceus*. *Fisheries Science*, **72**, 89-94 (2006).
- Yada, T., Muto, K., Azuma, T., Hyodo, S., Schreck, C. B. Cortisol stimulates growth hormone gene expression in rainbow trout leucocytes in vitro. *General and Comparative Endocrinology*, **142**, 248-255 (2005).
- Yamaguchi, H., Sakou, H., Fukami, K., Adachi, M., Yamaguchi, M., Nishijima, T. Production of alkaline phosphatase and organic phosphorus utilization of the marine phytoplankton, *Heterocapsa circularisquama*, *Fibrocapsa japonica* and *Chaetoceros ceratosporum*. *Plankton Biology and Ecology*, **52**, 67-75 (2005).
- Yamaguchi, H., Yamaguchi, M., Fukami, K., Adachi, M., Nishijima, T. Utilization of phosphate diester by the marine diatom *Chaetoceros ceratosporum*. *Journal of Plankton Research*, **27**, 603-606 (2005).
- Yamamoto, S., Maekawa, K., Koizumi, I., Morita, K. Introgressive hybridization between Dolly Varden *Salvelinus malma* and white-spotted charr *Salvelinus leucomaenoides* on Hokkaido Island, Japan. *Journal of Fish Biology*, **68** (Supple. A), 68-85 (2006).
- Yamamoto, T., Sugita, T., Furuita, H. Essential amino acid supplementation to fish meal-based diets with low protein to energy ratios improves the protein utilization in juvenile rainbow trout *Oncorhynchus mykiss*. *Aquaculture*, **246**, 379-391 (2005).
- Yamano, K. The role of thyroid hormone in fish development with reference to aquaculture. *Japan Agricultural Research Quarterly*, **39**, 161-168 (2005).
- Yamashita, Y., Kurita, Y., Yamada, H., Takahashi, K. Estimate of optimum stocking density of hatchery-raised Japanese flounder juveniles in Ohno Bay, northern Japan (In Japanese with English abstract). *Bulletin of Fisheries Research Agency*, (Supple. 5), 169-173 (2006).

- Yokoyama, H., Tamaki, A., Koyama, K., Ishihi, Y., Shimoda, K., Harada, K. Isotopic evidence for phytoplankton as a major food source for macrobenthos on an intertidal sandflat in Ariake Sound, Japan. *Marine Ecology Progress Series*, **304**, 101-116 (2005).
- Yokoyama, H., Tamaki, A., Harada, K., Shimoda, K., Koyama, K., Ishihi, Y. Variability of diet-tissue isotopic fractionation in estuarine macrobenthos. *Marine Ecology Progress Series*, **296**, 115-128 (2005).
- Yosa, M., Mizuta, K., Matsuyama, M. Induction of Ovarian Maturation and Ovulation in Jack Mackerel *Trachurus japonicus* by Human Chorionic Gonadotropin (In Japanese with English abstract). *Bulletin of Fisheries Research Agency*, (16), 15-18 (2006).
- Yoseda, K., Asami, K., Yamamoto, K., Dan, S. Current Status on Broodstock Management and Seed Production Techniques in the Black-spot Tuskfish. *Proceedings of Taiwan and Japan International Symposium of Marine Biology and Its Application*, 104-106 (2005).
- Yoseda, K., Teruya, K., Yamamoto, K., Asami, K. Effects of different temperature and delayed initial feeding on larval feeding, early survival, and the growth of coral trout grouper, *Plectropomus leopardus* larvae (In Japanese). *Aquaculture Science*, **54**, 43-50 (2006).
- Yoshida, G. Phenological differentiation among populations of *Sargassum horneri* (Fucales, Phaeophyta) in Hiroshima Bay, Seto Inland Sea, Japan (In Japanese with English abstract). *Bulletin of Fisheries Research Agency*, (15), 27-126 (2005).
- Yoshida, G. Seaweed colonization on the experimental substrata set in *Sargassum horneri* (Fucales, Phaeophyta) community (In Japanese with English abstract). *Fisheries Engineering*, **42**, 267-273 (2006).
- Yoshida, K., Nakagawa, M., Wada, S. Multiplex PCR system applied for analyzing microsatellite loci of Schlegel's black rockfish *Sebastes schlegeli*. *Molecular Ecology Notes*, **5**, 416-418 (2005).
- Yoshida, T., Takashima, Y., Tomaru, Y., Shirai, Y., Takao, Y., Hiroishi, S., Nagasaki, K. Isolation and characterization of a cyanophage infecting the toxic cyanobacterium *Microcystis aeruginosa*. *Applied and Environmental Microbiology*, **72**, 1239-1247 (2006).
- Yoshimatsu, T., Higuchi, T., Zhang, D., Fortes, N. R., Tanaka, K., Yoshimura, K. Effect of dietary cobalt supplementation on the population growth of rotifer *Brachionus rotundiformis*. *Fisheries Science*, **72**, 214-216 (2006).
- Yuan, C., Kaneniwa, M., Wang, X., Chen, S., Cheng, Y., Qu, Y., Fukuda, Y., Konno, K. Seasonal expression of 2 types of myosin with different thermostability in silver carp (*Hypophthalmichthys molitrix*). *Journal of Food Science*, **71**, 39-43 (2006).
- Yurimoto, T., Maeno, Y., Matsui, S., Yoshioka, N., Watanabe, Y. The relationship between sexual maturation and glycogen contents in visceral organs of the pen shell *Atrina pectinata* in Ariake bay, Japan (In Japanese with English abstract). *Aquaculture Science*, **53**, 397-404 (2005).
- Zenitani, H., Kono, N., Tukamoto, Y. Effect of sea water temperature and condition factor on variability of spawning interval and relative batch fecundity of Japanese anchovy in the Seto Inland Sea in summer and autumn (In Japanese). *Nippon Suisan Gakkaishi*, **71**, 821-823 (2005).
- Zhang, DM., Yoshimatsu, T., Furuse, M. Effect of L-carnitine enrichment on the population growth, egg ratio and body size of the marine rotifer, *Brachionus rotundiformis*. *Aquaculture*, **248**, 51-57 (2005).
- Zou, J., Carrington, A., Collet, B., Dijkstra, J. M., Yoshiura, Y., Bols, N., Secombes, C. Identification and bioactivities of IFN- $\gamma$  in rainbow trout *Oncorhynchus mykiss*: The first Th-1 type cytokine characterized functionally in fish. *Journal of Immunology*, **175**, 2484-2494 (2005).